

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| S1 | 846159 | (computer microprocessor processor cpu) and memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 08:12 |
| S2 | 165623 | ("248").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/10 13:46 |
| S3 | 4 | S2 and (ball with joint) and ((lock brake) with electromagnetic) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 09:36 |
| S4 | 49 | S2 and ((lock brake) with electromagnetic) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 09:49 |
| S5 | 2 | S2 and stereotaxic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 13:49 |
| S6 | 2 | ("20040172012").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/10 13:52 |
| S7 | 1724 | S2 and (ball with joint) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 13:57 |
| S8 | 82 | S2 and (ball with joint) and medical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 13:58 |
| S9 | 449 | S2 and ((lock brake) with joint) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 14:09 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| S10 | 7 | S2 and ((lock brake) with joint with (electromagnetic magnet\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 14:09 |
| S11 | 39 | S2 and ((lock brake) with joint) and medical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 14:12 |
| S12 | 23043 | S2 and (weight counterweight counter-weight) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/10 14:13 |
| S13 | 172 | S9 and (weight counterweight counter-weight) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 08:54 |
| S14 | 165641 | ("248").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/13 07:20 |
| S15 | 1724 | S14 and (ball with joint) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 07:20 |
| S16 | 7 | S14 and ((lock brake) with joint with (electromagnetic magnet\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 07:20 |
| S17 | 2 | ("6306146").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/13 07:57 |
| S18 | 2 | ("5,857,492").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/13 08:23 |
| S19 | 136 | endoscope and (weight counterweight counter-weight) and ball and joint and arm | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 08:54 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S20 | 49 | S14 and ((lock brake) with electromagnetic) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 09:32 |
| S21 | 25 | S20 and switch | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 09:32 |
| S22 | 2 | ("5857492").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/08/13 09:49 |
| S23 | 6 | ((("4,863,133") or ("5,170,790") or ("5,609,565") or ("5,697,939") or ("5,918,844") or ("6,514,239"))).PN. | USPAT; USOCR | OR | OFF | 2005/08/13 10:19 |
| S24 | 28 | (US-20020014567-\$ or US-20030230698-\$ or US-20040172012-\$ or US-20050109903-\$).did. or (US-4101779-\$ or US-4344595-\$ or US-4491435-\$ or US-4515333-\$ or US-4548373-\$ or US-4742825-\$ or US-4867405-\$ or US-5288043-\$ or US-5332181-\$ or US-5571072-\$ or US-5597146-\$ or US-5609565-\$ or US-5667186-\$ or US-5825536-\$ or US-6045104-\$ or US-6050530-\$ or US-6079681-\$ or US-6471165-\$ or US-6491273-\$ or US-6569084-\$ or US-6575653-\$ or US-6899307-\$ or US-6306146-\$ or US-5857492-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/08/13 10:20 |
| S25 | 27 | S24 not S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/08/13 10:20 |
| S26 | 34 | ((longitudinal elongated) with shaft with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and (instrument device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 08:22 |
| S27 | 19 | ((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated elongated shaft tubular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 08:25 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S28 | 20 | ((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (long elongated shaft tubular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 08:24 |
| S29 | 15 | ((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated elongated shaft tubular)) and ((hold\$3 grasp\$3 support\$3) with (instrument device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 08:28 |
| S30 | 2 | ((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated (elongated shaft tubular)) and ((hold\$3 grasp\$3 support\$3) with (instrument device))).clm. | US-PGPUB | OR | ON | 2006/03/20 09:36 |
| S31 | 156 | (600/102).CCLS. | USPAT; USOCR | OR | OFF | 2006/03/20 09:38 |
| S32 | 19 | S31 and (ball with joint) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/03/20 09:36 |